

To,

Ms Swati Maliwal,
Chairperson,
Delhi Commission for Women,
Vikas Bhavan, New Delhi -02
E-Mail - swati.maliwal@delhi.gov.in

Reference - Your Dispatch order no F1(129)/DEW/2022/556 Dt - 10-12-2022 to Director General, Indian Council of Medical Research, New Delhi.

Subject - Sudden deaths due to Cardiac arrests/Heart Attacks in both young and old people without any warning.

Dear Madam,

1. Thank you for bringing this to the notice of ICMR to do research on this alarming situation of people dying on the spot.
2. Kindly note in your letter you are writing " these deaths are connected to covid -19 " last line of Para 1 and point no 3 - " details of steps taken to study the long term impact of covid-19 virus on the health of people ".
3. The above statement that these deaths are due to covid -19 disease is totally incorrect.

These deaths are happening due to Myocarditis and Pericarditis (Inflammation of heart tissues) due side effects to Covid-19 Vaccines.

4. It is now well recognized in the world by WHO, CDC and many Governments like Japan and USA (state of Florida) that cardiac arrests due to covid-19 vaccines are happening after covid -19 vaccines.

5. In fact after only 1 death of a young boy in Norway in March 2021, 21 countries have banned/ age restricted the Astrazeneca Covishield vaccine in Europe. In most of the countries Covishield is not given below 40 years of age including UK from where Astrazeneca has developed this Covishield vaccine.

6. That, parents & family members of deceased have filed various claims in the Courts for appropriate action and compensation from vaccine companies, doctors and responsible public servants who are involved in giving vaccines to the citizen under deception by suppressing the death causing side effects and other serious side effects causing life time disabilities.

7. Details of the said cases are as under;

8. Sr Nos	9. Party Name & Case Nos	10. Name of the Court	11. Detail of brief of prayers	12. Status and Date of Order
15.	16. Rachana Gangu v. Union of India [Writ Petition (C) No. 1220 of 2021] 17. Link:	18. Supreme Court	20. Action against guilty and compensation	21. Supreme Court Issued Notice 22. [Citation] 23. Rachana Gangu v. Union of India, 2022 SCC OnLine SC 1125
24.	25. Dilip Lunawat v. Serum Institute of India (P) Ltd. [Writ Petition (C) No. 2739/2022]	27. Bombay High Court	28. Action against guilty and compensation and interim compensation of Rs.	29. Notice issued to: 30. 1. Bill Gates 31. 2. Adar Poonawalla 32. 3. Randeep Guleria 33. 4. Dr. V.G. Somani 34. 5. Union of India 35. 6. State of Maharashtra



	26. Link:		1000 Crores from Serum Institute, Institute, Adar Poonawala Bill Gates	36. 7. Drug Controller General of India 37. [Citation] 38. Dilip Lunawat v. Serum Institute of India (P) Ltd., 2022 SCC OnLine Bom 1773
39.	40. Jean George & Anr v. Serum Institute Of India & Ors. [Writ Petition (C) No. 13573/2022] 41.	42. Kerala High Court	43. Action against guilty and compensation and interim compensation of Rs. 10 Crores from Serum Institute, Institute, Adar Poonawala Bill Gates.	44. Court asked UOI to file reply. 45. Title: Vaccination: Kerala High Court Seeks Centre's Response On Parents' Plea 46. Link: https://www.livelaw.in/news-updates/19-year-old-dies-post-covishield-vaccination-kerala-high-court-seeks-centres-response-on-parents-plea-196742?from-login=672554
47.	48. Sayeeda Vs Union of India [WP (C) No. 17628 of 2022] 49.	50. Kerala High Court	51. Compensation to widow of a person died due to vaccine.	52. Court issued directions to the Central Government to immediately formulate guidelines for giving compensation to the victims of deaths or other side effects of vaccines. 53. Citations: - 54. (i) Sayeeda K.A. v. Union of India, 2022 SCC OnLine Ker 4531 55. (ii) Sayeeda K.A. v. Union of India, 2022 SCC OnLine Ker 4514



Please find below the details with proofs in the links attached.

8. WHO and CDC has already warned of serious side effects of Myocarditis and Pericarditis resulting in heart attacks and cardiac arrests -

CDC -

Myocarditis and pericarditis after COVID-19 vaccination are rare. Myocarditis is inflammation of the heart muscle, and pericarditis is inflammation of the outer lining of the heart. Most patients with myocarditis or pericarditis after COVID-19 vaccination responded well to medicine and rest and felt better quickly. Most cases have been reported after receiving Pfizer-BioNTech or Moderna (mRNA COVID-19 vaccines), particularly in male adolescents and young adults

<https://www.cdc.gov/coronavirus/2019-ncov/vaccines/safety/adverse-events.html>

WHO -

Is there a link between some COVID-19 vaccines and myocarditis and pericarditis?

There have been reports of very rare cases of myocarditis and pericarditis following mRNA COVID-19 vaccines (Pfizer and Moderna), most often after the second dose. While myocarditis and pericarditis can be caused by many factors, the currently available data suggest there is a potential relationship between these symptoms and the vaccines.

<https://www.who.int/news-room/questions-and-answers/item/q-a-on-myocarditis-and-covid-19-vaccines>

9. The **Japan government made companies of Covid “vaccines” to warn of dangerous and potentially deadly side effects such as myocarditis.** In addition, the country is reaffirming its commitment to adverse event reporting requirements to ensure all possible side effects are documented.

Alert: Japan Places Myocarditis Warning on 'Vaccines' - Requires Informed Consent.

That, recently the Health Ministry of Japan has made Following declaration/orders on their website:

“Consent to vaccination

Although we encourage all citizens to receive the COVID-19 vaccination, it is not compulsory or mandatory. Vaccination will be given only with the consent of the person to be vaccinated after the information provided. Please get vaccinated of your own decision, understanding both the effectiveness in preventing infectious diseases and the risk of side effects. No vaccination will be given without consent. Please do not force anyone in your workplace or those who around you to be vaccinated, and do not discriminate against those who have not been vaccinated.”

<https://rairfoundation.com/alert-japan-places-myocarditis-warning-on-vaccines-requires-informed-consent/>

10. **Around 21 European Countries banned Covishield vaccines due to death causing side effects mainly in young adults.**

A single young man's death in Norway after covishield vaccination prompted 21 European countries to ban Astrazeneca/Covishield vaccine for people below 50 years of age. These include Germany, U.K., Italy, France, Spain, Denmark, Norway, and The Netherlands, among others.

Link: <https://www.aljazeera.com/news/2021/3/15/which-countries-have-halted-use-of-astrazenecas-covid-vaccine>



11. An observational paradox in the study was that the participants who took two doses of COVID-19 vaccination had higher odds of developing Long COVID.

A study was conducted at All India Institute of Medical Sciences (AIIMS) Bhubaneswar, a tertiary care government hospital and research institute for Prevalence, characteristics, and predictors of Long COVID among diagnosed cases of COVID-19 (pre print)

Data was accessed from the AIIMS Bhubaneswar COVID-19 screening OPD database and records of patients admitted due to COVID-19.

<https://www.medrxiv.org/content/10.1101/2022.01.04.21268536v1>

12. Florida Surgeon General Dr Joseph A Ladapo has advised people, especially males aged 18 to 39, not to receive mRNA Covid vaccines as they increase the risk of cardiac-related deaths. Covid jabs increase risk of cardiac-related death males between 18 to 39.

Florida Surgeon General Dr Joseph A Ladapo has said those with preexisting cardiac conditions, such as myocarditis and pericarditis, should take extra caution when making this decision. (Representative image)

By Milan Sharma: The United State's Florida Surgeon General Dr Joseph A Ladapo has advised people, especially males aged 18 to 39, not to receive mRNA Covid vaccines, as they increase the risk of cardiac-related deaths.

He said those with preexisting cardiac conditions, such as myocarditis and pericarditis, should take extra caution when making this decision. The top doctor recommended against the use of such vaccines, citing a study.

The Florida Department of Health (Department) conducted an analysis through a self-controlled case series, which is a technique originally developed to evaluate vaccine safety.

The analysis found that there is an 84% increase in the relative incidence of cardiac-related death among males 18-39 years old within 28 days following mRNA vaccination. With a high level of global immunity to Covid-19, the benefit of vaccination is likely to be outweighed by this abnormally high risk of cardiac-related death among men in this age group. Non-mRNA vaccines were not found to have these increased risks.



13. Studying the safety and efficacy of any medications, including vaccines, is an important component of public health," said Surgeon General Dr Joseph Ladapo. "Far less attention has been paid to safety and the concerns of many individuals have been dismissed – these are important findings that should be communicated to Floridians."

For more details visit: <https://www.indiatoday.in/world/story/mrna-covid-vaccine-increase-risk-of-cardiac-related-death-males-study-2282518-2022-10-08>

14. Research proved in 2 lakhs unvaccinated people that the people who had previous covid infection did not show any rising incidence of myocarditis.

The Incidence of Myocarditis and Pericarditis in Post COVID-19 Unvaccinated Patients-A Large Population-Based Study

A research conducted in Israel on almost 8 Lakhs unvaccinated people out of which 2 lakhs were recovering from covid -19 infection and balance 6 lakhs had no covid infection. The aim was to study the incidence of post-acute COVID-19 myocarditis and pericarditis. The study did not observe any increased incidence of either pericarditis or myocarditis in adult patients recovering from COVID-19 infection. <https://pubmed.ncbi.nlm.nih.gov/35456309/>

15. National AEFI committee has certified A1 vaccine product related reaction i.e death due to covid -19 vaccine in many cases till date. The following are the few A1 reports -

A. AEFI report Dr Snehal Lunawat who died after taking 1st dose of covishield vaccine -

https://docs.google.com/document/d/1xPa_T2NxQHJUK-btKsRPuP2tNZDsK8AnVLRVaCbZ7tw/edit?usp=sharing

RTI reply by GOI on death of Dr Snehal lunawat by covishield vaccine.

https://drive.google.com/file/d/1VrxLdi7akoNMoG7hLndgaN_rNNk7BbWU/view?usp=share_link

B. AEFI report of Mahima Mathew, pregnant woman who died after taking 1st dose of covishield vaccine. Mahima Mathew was pregnant with twins.

Sr. No. 156 - Mahima Mathews

<https://main.mohfw.gov.in/sites/default/files/Englishfinalimmuzation.pdf>



C. AEFI report of Ms. Rithaika Sri Omtri, 19 year old who died after covishield vaccine. GOI RTI link given below.

https://drive.google.com/file/d/1eBAomcrBuqXsPVQo_6UQh0id3NRM8Css/view?usp=share_link

D. AEFI report of Ms.Nova Sabu, 18 year old who died after covishield vaccine.

Sr. No. 58 - 19 year old A1 death from Kerala.

https://main.mohfw.gov.in/sites/default/files/NACM_approved_cases_english_merge_0.pdf

E. The list of all A1 Vaccine deaths are given below, You can manually check how many A1 deaths in these 2 files.

https://main.mohfw.gov.in/sites/default/files/English%20-%20161%20cases%20for%20uploading_0.pdf

https://main.mohfw.gov.in/sites/default/files/NACM_approved_cases_english_merge_0.pdf

16. Please note - The rate of heart attack/Cardiac arrest has increased by a huge percentage throughout India. The attached document is **RTI received from Maharashtra Arogya seva Ayuktalay about heart attack data in maharashtra for the year 2020-2021 and 2021-2022 (april to march).**

The data shows-

Only Maharashtra Data -

A. 18% increase in death due to heart diseases - 8702 more deaths in the post vaccinated year 2021-2022.than 2020-2021.

B. 32% increase in Acute heart diseases including acute cardiac emergencies - 27870 cases more in the post vaccinated year 2021-2022. (vaccination started in Jan 16 2021)



17. AIM data of deaths due to Covid -19 Vaccines -

There are 17000+ reported & lakhs of Unreported deaths (MURDERS) after Covid vaccine. !

From #1 To #15432 -

https://drive.google.com/file/d/1uikc1a6_KDzUx7HNLrfaI1NJRt0D_YP/view?usp=sharing

From #15433 To #17356 -

<https://docs.google.com/document/d/1Ld2WHNXxMGPsJm4FPlu1DEPHzSNGzqGq/edit?usp=sharing&oid=103856627695944525595&rtpof=true&sd=true>

Children deaths after vaccination From #1 To #64 -

<https://docs.google.com/document/d/1LZJDp-ub6BfVt-nnc8daISgemhkRieQG/edit?usp=sharing&oid=103856627695944525595&rtpof=true&sd=true>

18. You are therefore requested to send another letter to ICMR with the above facts and ask them to give a report asap.

19. Please note the entire data of vaccine recipients data is linked to Addhar and ICMR can easily find out that the people who are dying without warning/ cardiac arrests are vaccinated or unvaccinated.

20. We are also sending a similar letter with this letter to ICMR for reply.

Sincerely

Ambar Koiri
NSC member
Awaken India Movement



