



Awaken India Movement @awakenindiamvmt

Feb 26, 2024 · 19 tweets · [awakenindiamvmt/status/1762163158574108833](https://twitter.com/awakenindiamvmt/status/1762163158574108833)

!!Another example of how little babies are experimented on - The Japanese encephalitis vaccine has not been studied for interaction with other vaccines or medicinal products, yet it is recommended to be administered with the measles rubella vaccine per the immunization schedule on @MoHFW_INDIA website

<https://main.mohfw.gov.in/sites/default/files/245453521061489663873.pdf>

<https://www.bharatbiotech.com/images/jenvac/jenvac-pack-insert.pdf>

<https://cdsco.gov.in/opencms/resources/UploadCDSCOWeb/2018/UploadSmPC/2biog.pdf>

- **JENVAC[®]** will not protect against encephalitis caused by other micro-organisms.

4.6 Interaction with other medicinal products and other forms of interaction:

For concomitant administration of other injectable product, use different injection sites at separate syringes. **JENVAC[®]** should not be mixed with any other vaccine or medicinal product, because the interactions with other vaccines or medicinal products have not been established.

persons with thrombocytopenia, haemophilia or other bleeding disorders.

4.5 Interaction with other medicinal products and other forms of interaction

Interaction studies with other medicinal products have not been performed on **JEEV[™]**. When **JEEV[™]** is administered concomitantly with injectable vaccines; they should be given with separate syringes at different injection sites. **JEEV[™]** should not be mixed with any other vaccine in the same vial.

In April 2018, 4 babies had died and several were hospitalized following administration of measles rubella vaccination in Palamu, Jharkhand.

awakenindiamovement
@awakenindiamov · Follow

Replying to @awakenindiamov
4 babies died and several hospitalized following vaccination for measles and Japanese encephalitis.

Date: April, 2018
Place: Palamu, Jharkhand

indianexpress.com/article/india/...

The JE vaccines are manufactured by

- ➡ Bharat Biotech: \$38 million in commitments from Bill & Melinda Gates Foundation @BMGFIndia
- ➡ Biological E: \$105 million in commitments from Bill & Melinda Gates Foundation @BMGFIndia

<https://www.gatesfoundation.org/-/media/files/bmgf-grants.csv>

**BILL & MELINDA
GATES foundation**

Committed Grants

This database includes grant commitments made by the Bill & Melinda Gates Foundation and previous foundations of the Gates family (William H. Gates Foundation, Gates Library Foundation, and Gates Lea...

<https://www.gatesfoundation.org/about/committed-grants?q=Bharat%20biotech#comm...>

GRANTEE	PURPOSE	DIVISION	DATE COMMIT.	DURATION(MONTHS)	AMOUNT COMMITTED
Biological E Limited	to support expansion of manufacturing and filling capacity to allow for the accelerated production of an mDPV2 stockpile to enable the rapid substitution of mDPV2 for mOPV2	Global Health	Apr-21	28	37,561,978
Biological E Limited	to develop a new measles-rubella vaccine for low and middle income countries	Global Development	Nov-13	88	7,667,685
Biological E Limited	to respond to the COVID-19 pandemic by developing a SARS-CoV-2 vaccine evaluated through Phase 1 clinical trials	Global Health	Apr-20	27	4,019,427
Biological E Limited	to expand the supply of Measles-Rubella (MR) vaccine, available in 5-dose vials for low and lower-middle income countries	Global Development	Nov-19	35	8,262,519
Biological E Limited	to supply TCV vaccine for underprivileged children through public health organizations like UNICEF/GAVI thereby increasing the adoption and coverage of this vaccine by the poorest of countries	Global Health	Jun-19	47	3,342,359
Biological E Limited	to develop a bivalent enteric fever vaccine to protect children in LMICs from typhoid and paratyphoid fever	Global Health	Jun-19	43	4,000,246
Biological E Limited	to supply LHV to target populations through UNICEF, PAHO and GAVI agencies at affordable rates, thereby increasing adoption and coverage of this vaccine	Global Development/Global Health	Jun-19	47	40,600,000
Total Amount committed *					105,454,214

Bharat Biotech International, Ltd.

Division
Global Health

Region served
GLOBAL +2

Grant topic
Enteric and Diarrheal Diseases

Grantee location
Hyderabad, Telangana, India

Date
NOVEMBER 2019

Committed amount
\$19,950,062

Duration (months)
49

Bharat Biotech International, Ltd.

Division
Global Health

Region served
GLOBAL

Grant topic
Enteric and Diarrheal Diseases

Grantee location
Hyderabad, Telangana, India

Date
JUNE 2015

Committed amount
\$18,500,000

Duration (months)
91

June 2015, Tripura: 2 babies died following administration of the Japanese Encephalitis vaccine.



<http://www.tripurainfoway.com/news-details/TN/28976/3-children-die-after-je-vaccination-in-tripura-many-admitted-to-hospital-tripura-demands-central-expert-team-to-study-deaths.html>

3 children die after JE vaccination in Tripura, many admitted to hospital: Tripura demands central expert team to study deaths

TIWN



AGARTALA, June 6 (TIWN): At least three children have died this month in Tripura after being vaccinated against Japanese Encephalitis here in Tripura. Along with the entire nation Tripura Left front govt. has kicked off the nationwide vaccination programme from May 23.

However but due to the negligence role of a section of grass root level health workers who also has a tendency to call themselves 'doctors' has killed at least three school children. The incident has triggered a panic among the guardians who now worry to take their children for the vaccination.

What made the growth story much more interesting is that despite the death of two children reported state health secretary M Nagaraju managed to call a press conference and clarify the issue. But, failed to clarify the questions of media persons who remained present during the conference.

State health secretary M Nagaraju said though the apparent cause of death of the kids is clinically claimed to be different, all of them have history of JE vaccination. They were admitted to hospitals with complaints of fever and convulsion, he added.

Later another child identified as Shoheli Debbarma (14) of Mandai breathes here last after being pushed with JE vaccination. She was admitted to AMRI Hospital, Kolkata after the concerned doctors here have failed to cure her complications.

According to the clinical reports Kritika Das (10) of Kenamia in the Kamalasaragar area died due of measles and not JE vaccine. Similarly, Ariful Ishlam Maishan (12) of Srimantapur village in Sonamura died due to multi-organ dysfunction syndrome.

According to the sources, the Tripura government has requested the Union ministry of health and family welfare to send an expert team to investigate the death of three school children after they were administered Japanese Encephalitis (JE) vaccination in West Tripura.

Two weeks ago, JE vaccination drive was launched in West Tripura, Sepahijala and Khowai districts of Tripura as part of a nationwide pilot program, targeting children between 1-15 years. So far, 20,7,986 children of 1-15 yrs have been vaccinated in Tripura, said Nagaraju.

However, the departmental committee has been asked to submit the inquiry report within a week with full details of the vaccination programme in the respective areas and verification of the complaints.

“According to the vaccine manufacturer, the following side effects have been reported following receipt of the Japanese encephalitis vaccine: flu-like symptoms, including fever, headache, malaise, rash, chills, dizziness, myalgia, nausea, vomiting and abdominal pain. Other reported reactions include: hives and facial swelling, joint swelling, generalized itching, respiratory distress, Guillain-Barré syndrome, renal failure, seizures, encephalitis, encephalopathy, transverse myelitis, optic neuritis, cranial nerve paresis, cerebellar ataxia, Bell's palsy, fatal myocarditis and sudden death. Some of these reactions occurred following receipt of the Japanese encephalitis vaccine concurrent with other vaccines. ”

Source: Miller, Neil Z., Vaccine Safety Manual for Concerned Families and Health Practitioners. Internet Archive, Santa Fe, N.M. : New Atlantean Press, 2008, .



Severe side effects following JE vaccination were reported in both Japan and Denmark. Denmark especially reported a very high incidence of acute disseminated encephalomyelitis following Japanese encephalitis vaccination (1 in 50,000-75,000 vaccinees).

"Approximately 10% of those administered Japanese encephalitis vaccine reported systemic reactions, such as fever, headache, malaise and rash. Serious adverse events include hypersensitivity-type reactions and neurological reactions. A review of postmarketing data in Japan from 1996 to 1998 [15] revealed 17 neurological disorders after the administration of approximately 9.4 million doses of Japanese encephalitis vaccine. Among those, 16 cases had meningitis or meningoencephalitis, including @ve probable cases of acute disseminated encephalomyelitis (0.2 per 100,000 vaccinations). In Denmark, acute disseminated encephalomyelitis following Japanese encephalitis vaccination occurred more frequently, at approximately 1 in 50, 000±75, 000 vaccinees "

Source: Piyasirisilp, S., & Hemachudha, T. (2002). Neurological adverse events associated with vaccination. *Current Opinion in Neurology*, 15(3), 333–338. doi:10.1097/00019052-200206000-00018, <https://sci-hub.se/10.1097/00019052-200206000-00018>

“It is worth investigating the association between JE vaccination and anti-NMDA receptor encephalitis “

Source: Wang H. Anti-NMDA Receptor Encephalitis and Vaccination. *Int J Mol Sci*. 2017 Jan 18;18(1):193. doi: 10.3390/ijms18010193. PMID: 28106787; PMCID: PMC5297824, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5297824/>



Article

Anti-NMDA Receptor Encephalitis and Vaccination

Hsiuying Wang

Institute of Statistics, National Chiao Tung University, Hsinchu 30010, Taiwan; wang@stat.nctu.edu.tw or hsiuyingwang@nctu.edu.tw; Tel.: +886-3-571-2121 (ext. 56813); Fax: +886-3-572-8745

Academic Editor: Alfredo Ciccociola

Received: 15 October 2016; Accepted: 13 January 2017; Published: 18 January 2017

Abstract: Anti-N-methyl-D-aspartate (Anti-NMDA) receptor encephalitis is an acute autoimmune neurological disorder. The cause of this disease is often unknown, and previous studies revealed that it might be caused by a virus, vaccine or tumor. It occurs more often in females than in males. Several cases were reported to be related to vaccination such as the H1N1 vaccine and tetanus/diphtheria/pertussis and polio vaccines. In this study, we reported an anti-NMDA receptor encephalitis case that may be caused by Japanese encephalitis vaccination. To investigate the association between anti-NMDA receptor encephalitis and vaccination, we analyzed the phylogenetic relationship of the microRNAs, which significantly regulate these vaccine viruses or bacteria, and the phylogenetic relationship of these viruses and bacteria. This reveals that anti-NMDA receptor encephalitis may be caused by Japanese encephalitis vaccination, as well as H1N1 vaccination or tetanus/diphtheria/pertussis and polio vaccinations, from the phylogenetic viewpoint.



Awaken India Movement ✓

@awakenindiamvmt · Follow



3 school aged children died after receiving Japanese Encephalitis vaccination (Myanmar, 2017)

irrawaddy.com/news/burma/gir...

Home > News > Burma

Girl, 10, Dies After Being Administered Encephalitis Vaccine

By Salai Thant Zin — November 23, 2017 in Burma Reading Time: 2 mins read

4:45 AM · Mar 21, 2024



39



See the latest COVID-19 information on X

[Read more on X](#)



Awaken India Movement ✓
@awakenindiamvmt · Follow



Compensation of Rs. 3 lakhs has been given to families of 3 babies who died following measles and Japanese Encephalitis vaccinations in Muzaffarpur, Bihar in 2017.

In an outbreak of Japanese encephalitis (JE) in 2006, most of the children who developed complications and/or died had received the JE vaccination,



Children deaths in Gorakhpur: A dissolving faith, an enduring mystery

The killer disease of children are undercut by a wily virus and administrative bottlenecks.

<https://web.archive.org/web/20170814051711/https://indianexpress.com/article/news-a...>



अनहोनी रहस्य

@AnhoneeRahasya · Follow



Replying to @AnhoneeRahasya

web.archive.org/web/2017081405...

Three years ago,Vishal had been given two shots,separated by four months,of jhalki teeka ,or the Japanese Encephalitis (JE) vaccine.The first shot,given in August 2010,was part of the child s immunization schedule; the second,in December of that year,in a massive campaign across Uttar Pradesh and parts of Bihar,to ensure the vaccine reached all left out children. 1,600 children dead in UP,Bihar: no answers yet

Vishal s mother,who had seen children dying in their village during the monsoon deaths long attributed to the dreaded JE virus was assured that her son was protected.

So,when Vishal woke up the next morning with a jhalki convulsions with a yellowish frothing at the mouth,fists clenched and eyes shut tight,seemingly unable to hear his mother s cries the family went to the local fakir,hoping he would rid the boy of the spirits they believed had attacked him.

A day later,when Vishal was struck by another convulsion,his uncle took him on his motorcycle 15 km away to Gorakhpur town,ignoring the women s protests that he already had jaadui protection and needed no more medicines. The boy was admitted to the Nehru Hospital in BRD Medical College,where he died the next day.

Vishal s was one of the five confirmed JE cases in Gorakhpur this year. The adjoining districts saw another 20 cases. Besides one deceased girl whose family had persistently refused vaccination all the dead children had been given the protective shots.

The first doubts about JE started after deaths continued despite exhaustive mass immunization campaigns,and lab results provided no concrete answers. In 2006,despite JE vaccinations,700-800 seizures were reported,and over 150 children died. Most of these children had received JE vaccination. The mystery remains to be fully explained.

11:45 PM · Mar 21, 2024



6 Reply Copy link

Read 1 reply

The first doubts about JE started after deaths continued despite exhaustive mass immunization campaigns,and lab results provided no concrete answers. In 2006,despite JE vaccinations,700-800 seizures were reported,and over 150 children died. Most of these children had received JE vaccination. The mystery remains to be fully explained.



Awaken India Movement

@awakenindiamvmt · Follow




Do vaccines cause AES (acute encephalitis syndrome)?

Vaccines can cause encephalitis and encephalopathy, both of which are included in the broader definition of AES.

Below are a few examples:

OPV (Oral Polio Vaccine) and encephalitis

"Between 1964 and 1974 165,000 children... [Show more](#)



Vratesh Srivastava @vratesh_

Replying to @vratesh_@drkohilathas and 2 others

vratesh.substack.com/p/encephalitis...

Encephalitis in India: A Man Made Epidemic?



VRATESH SRIVASTAVA

MAR 31, 2024

Summary

1. **The association between rise in Acute Flaccid Paralysis (AFP) and rise in Acute Encephalitis syndrome**
2. **What is encephalitis?**
3. **Has encephalitis been classified as polio/AFP, and vice versa?**
4. **Do vaccines cause AES?**
5. **The failure of JE vaccines in India in controlling AES incidence**
6. **Side effects of JE vaccines**
7. **Long term health outcomes following encephalitis**
8. **Conclusion**

3:19 AM · Apr 1, 2024



9



See the latest COVID-19 information on X

[Read 1 reply](#)

2000: Gates Foundation announced grant of \$25 million for gov. of Andhra Pradesh for Hepatitis B and Japanese Encephalitis vaccinations.



Gyan Chakshu

@gyan_chakshu · Follow



Replying to @gyan_chakshu

2000: Gates Foundation announced grant of \$25 million for gov. of Andhra Pradesh for Hepatitis B and Japanese Encephalitis vaccinations.

gatesfoundation.org/ideas/media-ce...

Two major grants to benefit India were announced during Mr. Gates' visit. The Gates Children's Vaccine Program at PATH (Program for Appropriate Technology in Health) will manage a \$25 million grant to work in India with the government of Andhra Pradesh on a comprehensive immunization program with the potential for replication across India. The Gates Children's Vaccine Program will work with the state ministry of health to introduce locally manufactured hepatitis B vaccines into the routine immunization program, create a name-based, computerized immunization registry, investigate the effectiveness of a new vaccine against some forms of infant diarrhea, and

1:43 AM · Jul 23, 2024



1



Reply



Copy link

[Read more on X](#)

- BMGF funded JE vaccines were launched in Andhra in 2001
- In 2003 there was an outbreak in Andhra initially attributed to JE
- Rockefeller (& now CDC) backed NIV reattributed the outbreak to “Chandipura”



Gyan Chakshu
@gyan_chakshu · Follow



- ☞ BMGF funded JE vaccines were launched in Andhra in 2001
- ☞ In 2003 there was an outbreak in Andhra initially attributed to JE
- ☞ Rockefeller (& now CDC) backed NIV reattributed the outbreak to "Chandipura" 🦠
- ☞ Magically, JE vax trial in Andhra was a success with efficacy of 90%

Gyan Chakshu @gyan_chakshu

Replying to @gyan_chakshu
downtoearth.org.in/environment/de...

a seemingly harmless germ has been on a killing spree. This is what has been detected by the National Institute of Virology (niv) in respect of the mystery disease that has claimed more than 250 lives in Andhra Pradesh. The culprit, say researchers from the Pune-based institute, is the Chandipura virus -- till now considered benign.

These deaths were earlier attributed to Japanese encephalitis based on symptoms and tests carried out by the National Institute of Communicable Diseases (nicd), New Delhi. The Chandipura virus did not figure in the initial list of suspects because it is generally not associated with serious diseases. Also, only niv has the antiserum to check for the presence of the virus.

But experts like K K Datta feel that further studies need to be conducted to verify the surprise finding. Datta, who is a former director of nicd, avers that the disease bears a closer resemblance to Japanese encephalitis (je). This is borne out

11:34 AM · Jul 27, 2024



♥ 16 ⚡ See the latest COVID-19 information on X

Read 1 reply



Awaken India Movement ✓
@awakenindiamvmt · Follow



!! 11 girls hospitalized following Japanese Encephalitis vaccination !!

Date: August 27th 2024
Place: Rampur, Uttar Pradesh

#MissionIndradhanush

youtube.com/watch?v=Zg9L5N...

youtube.com/watch?v=av0zgR...

amritvichar.com/article/488594...

etvbharat.com/amp/hi/!state/...

aajtak.in/amp/uttar-prad...

@JPNadda... Show more



3:24 AM · Aug 28, 2024



62



See the latest COVID-19 information on X

Read 3 replies



Awaken India Movement ✓
@awakenindiamvmt · Follow



🚨 Madhya Pradesh: 15 students hospitalized following JE vaccination, officials denied side effects, blamed student's reaction due to anxiety and irrational fear 🤔🤔🚨

Per the report, 11 students from Shahabad and 4 students from Nagar in Madhya Pradesh suffered reaction... [Show more](#)



4:36 PM · Aug 28, 2024



📍 68 ⚡ See the latest COVID-19 information on X

[Read 2 replies](#)



Awaken India Movement ✓

@awakenindiamvmt · [Follow](#)



🚨 HORRIFIC!! A schoolgirl died following forced JE vaccination 🚨

Vaishnavi, a student of De Paul school in grade 7 died following JE vaccination without parental consent

Date: September 2nd 2024

Place: Buduan, Uttar Pradesh

amarujala.com/amp/uttar-prad...

youtube.com/watch?app=desk..... Show more



4:35 PM · Sep 2, 2024



105



See the latest COVID-19 information on X

[Read 5 replies](#)



Awaken India Movement ✓
@awakenindiamvmt · Follow



2 girls of grade 7 at Kedarnath Mahila Inter College, Alija and Alisha were hospitalized following Japanese Encephalitis vaccination

Date: Sep 10th 2024

Place: Budaun, Uttar Pradesh

youtube.com/watch?app=desk...

youtube.com/watch?v=U8kuMM...

youtube.com/watch?app=desk...

#MissionIndraDhanush... Show more



12:34 AM · Sep 15, 2024



25



See the latest COVID-19 information on X

[Read 2 replies](#)

unroll pls @threadreaderapp

...